## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## LISTING OF CLAIMS:

- 1. (Currently Amended) A linear diene elastomer resulting from at least one conjugated diene, characterised in that it wherein said diene elastomer comprises cyclic vinyl units in a mass content of greater than or equal to 15% and in that it has having a number-average molecular weight falling within a range of from [[10,000]] 50,000 to 300,000 g/mol.
- 2. (Currently Amended): A linear diene elastomer according to Claim 1, eharacterised in that wherein said number-average molecular weight falls within a range of from 60,000 to 300,000 g/mol.
- 3. (Currently Amended): A linear diene elastomer according to Claim 2, eharacterised in that wherein said number-average molecular weight falls within a range of from 100,000 to 300,000 g/mol.
- 4. (Currently Amended): A linear diene elastomer according to Claim 1, eharacterised in that wherein said mass content of cyclic vinyl units is greater than or equal to 20%.
- 5. (Currently Amended): A linear diene elastomer according to Claim 1, eharacterised in that it which comprises a mass fraction of units resulting from conjugated dienes of greater than 30%.

- 6. (Currently Amended): A linear diene elastomer according to Claim 5, eharacterised in that it which consists of a butadiene homopolymer or a copolymer of butadiene and a vinyl aromatic compound.
- 7. (Currently Amended) A linear diene elastomer according to Claim 1, eharacterised in that said number average molecular weight falls within a range of from 10,000 to 30,000 g/mol and in that wherein said mass content of cyclic vinyl units is greater than or equal to 35%.
- 8. (Currently Amended): A branched diene elastomer resulting from at least one conjugated diene and capable of being obtained by reaction of a linear diene elastomer according to one of the preceding Claims Claim 1 with a branching agent, characterised in that it wherein said branched diene elastomer comprises cyclic vinyl units in a mass content of greater than or equal to 15% and in that it has having a number-average molecular weight falling within a range of from 30,000 to 350,000 g/mol.
- 9. (Currently Amended): A branched diene elastomer according to Claim 8, eharacterised in that wherein said number-average molecular weight falls within a range of from 150,000 to 350,000 g/mol.
- 10. (Currently Amended): A branched diene elastomer according to Claim 8, eharacterised in that wherein said mass content of cyclic vinyl units is greater than or equal to 20%.

- 11. (Currently Amended): A branched diene elastomer according to Claim 8, eharacterised in that it which comprises a mass fraction of units resulting from conjugated dienes of greater than 30%.
- 12. (Currently Amended): A branched diene elastomer according to Claim 11, eharacterised in that it which consists of a homopolymer of butadiene or a copolymer of butadiene and a vinyl aromatic compound
- 13. (Currently Amended): A process for the production of a linear or branched diene elastomer resulting from at least one conjugated diene, said elastomer comprising cyclic vinyl units in a mass content of greater than or equal to 15% and, prior to optional branching, having a number-average molecular weight falling within a range of from 10,000 to 60,000 g/mol, eharacterised in that said process [[comprises]] comprising the anionic [[polymerisation]] polymerization of one or more monomers comprising at least one conjugated diene monomer, by [[the]] a discontinuous reaction, in an inert aliphatic or alicyclic hydrocarbon solvent, of said monomer or monomers with a catalytic system comprising an organolithium initiator and a polar agent comprising two or more heteroatoms, the (polar agent:initiator) molar ratio being greater than 8.
- 14. (Currently Amended): A process for the production of a linear or branched diene elastomer resulting from at least one conjugated diene, said elastomer comprising cyclic vinyl units in a mass content of greater than or equal to 15% and, prior to optional branching, having a number-average molecular weight falling within a range of from 10,000 to 100,000 g/mol,

eharacterised in that said process [[comprises]] comprising the anionic [[polymerisation]] polymerization of one or more monomers comprising at least one conjugated diene monomer, by [[the]] a continuous reaction, in an inert aliphatic or alicyclic hydrocarbon solvent, of said monomer or monomers with a catalytic system comprising an organolithium initiator and a polar agent comprising two or more heteroatoms, said system satisfying the following relationship:

- (i) the (polar agent:initiator) molar ratio is greater than or equal to 3.
- elastomer resulting from at least one conjugated diene, said elastomer comprising cyclic vinyl units in a mass content of greater than or equal to 15% and, prior to optional branching, having a number-average molecular weight falling within a range of from 10,000 to 300,000 g/mol, eharacterised in that said process eomprises comprising the anionic [[polymerisation]] polymerization of one or more monomers comprising at least one conjugated diene monomer, by [[the]] a continuous reaction, in an inert aliphatic or alicyclic hydrocarbon solvent, of said monomer or monomers with a catalytic system comprising an organolithium initiator, a polar agent comprising two or more heteroatoms, and an alkali metal salt of an aliphatic or alicyclic alcohol, such that said system simultaneously satisfies the following three conditions:
  - (i) the (polar agent:initiator) molar ratio is greater than or equal to 3.
  - (ii) the (salt:initiator) molar ratio falls within a range of from 0.01 to 2, and
  - (iii) the (salt:polar agent) molar ratio falls within a range of from 0.001 to 0.5.
- 16. (Currently Amended): A process for the production of a linear or branched diene elastomer according to Claim 14, eharacterised in that wherein the (polar agent:initiator) molar ratio is greater than or equal to 5.

- 17. (Currently Amended): A process for the production of a linear or branched diene elastomer according to Claim 16, characterised in that wherein the (polar agent:initiator) molar ratio is greater than or equal to 10.
- 18. (Currently Amended): A process for the production of a linear or branched diene elastomer according to Claim 17, characterised in that wherein the (polar agent:initiator) molar ratio is greater than or equal to 15.
- 19. (Currently Amended): A process for the production of a linear or branched diene elastomer according to Claim 15, characterised in that wherein said (salt:polar agent) molar ratio falls within a range of from 0.001 to 0.1.
- 20. (Currently Amended): A process for the production of a linear or branched diene elastomer according to Claim 15, eharacterised in that wherein said (salt:initiator) molar ratio falls within a range of from 0.01 to 0.6.
- 21. (Currently Amended): A process for the production of a linear or branched diene elastomer according to Claim 20, eharacterised in that wherein said (salt:initiator) molar ratio falls within a range of from 0.01 to 0.2.
- 22. (Currently Amended): A process for the production of a linear or branched diene elastomer according to Claim 21, characterised in that wherein said (salt:initiator) molar ratio falls within a range of from 0.3 to 0.6.

- 23. (Currently Amended): A process for the production of a linear or branched diene elastomer according to Claim 13, eharacterised in that wherein said polar agent belongs to the group consisting of diamines and diethers.
- 24. (Currently Amended): A process for the production of a linear or branched diene elastomer according to Claim 23, eharacterised in that wherein said polar agent is tetramethylethylenediamine.
- 25. (Currently Amended): A process for the production of a linear or branched diene elastomer according to Claim 15, characterised in that wherein said salt is a sodium salt of an aliphatic alcohol having from 3 to 12 carbon atoms, such as sodium tert. amylate.
- 26. (Currently Amended): A process for the production of a branched diene elastomer according to Claim 13, eharacterised in that it which further involves reacting the product of said [[polymerisation]] polymerization with a coupling or starring agent in order to obtain said branched diene elastomer.
- 27. (Currently Amended): A catalytic system usable for producing, by continuous or discontinuous anionic [[polymerisation]] <u>polymerization</u> of one or more conjugated dienes in an inert aliphatic or alicyclic hydrocarbon solvent, a linear diene elastomer comprising cyclic vinyl units in a mass content of greater than or equal to 15% and having a number-average molecular weight falling within the range of from 10,000 to 60,000 g/mol, said system comprising an

organolithium initiator and a polar agent comprising two or more heteroatoms, <del>characterised in that</del> wherein the (polar agent:initiator) molar ratio is greater than [[8]] or equal to 10.

## 28. (Canceled)

- 29. (Currently Amended): A catalytic system according to Claim 28, characterised in that 27, wherein said (polar agent:initiator) molar ratio is greater than or equal to 15.
- 30. (Currently Amended): A catalytic system usable for producing, by continuous anionic [[polymerisation]] polymerization of one or more conjugated dienes in an inert aliphatic or alicyclic hydrocarbon solvent, a linear diene elastomer according to Claim 1, eharacterised in that wherein said system comprises an organolithium initiator, a polar agent comprising two or more heteroatoms and an alkali metal salt of an aliphatic or alicyclic alcohol, said system simultaneously satisfying the following three conditions:
- [[(i')]] (iv) the (polar agent:initiator) molar ratio is greater than [[8]] or equal to 10,
- (v) the (salt:initiator) molar ratio falls within a range of from 0.01 to 2, and
- (vi) the (salt:polar agent) molar ratio falls within a range of from 0.001 to 0.5.
- 31. (Currently Amended): A catalytic system according to Claim 30, eharacterised in that wherein said (salt:initiator) molar ratio falls within a range of from 0.01 to 0.2 or from 0.3 to 2, and in that said (salt:polar agent) molar ratio falls within a range of from 0.001 to 0.1.
- 32. (Currently Amended): A catalytic system according to Claim 31, eharacterised in that wherein said (salt:initiator) molar ratio falls within a range of from 0.01 to 0.2.

- 33. (Currently Amended): A catalytic system according to Claim 31, eharacterised in that wherein said (salt:initiator) molar ratio falls within a range of from 0.3 to 0.6.
- 34. (Currently Amended): A catalytic system according to Claim 27, eharacterised in that wherein said polar agent belongs to the group consisting of diamines and diethers.
- 35. (Currently Amended): A catalytic system according Claim 34, <del>characterised in that</del> wherein said polar agent is tetramethylethylenediamine.
- 36. (Currently Amended): A catalytic system according to Claim 30, characterised in that wherein said salt is a sodium salt of an aliphatic alcohol having from 3 to 12 carbon atoms, such as sodium tert. amylate.
- 37. (New): A process for the production of a linear or branched diene elastomer according to Claim 25, wherein said salt is sodium tert. amylate.
- 38. (New): A catalytic system according to Claim 36, wherein said salt is sodium tert. amylate.
- 39. (New): A catalytic system according to Claim 30, wherein the polar agent:initiator molar ratio is equal to or greater than 14.1.